



PR-0043 Colombia Leonardo Camayo - Totoro - Cauca - Takeshi Kondo

Profile Takeshi Kondo
Machine Loring S7 Nighthawk
Worker Taihei Yakumaru
Start date 2019-08-21 14:42
Duration 09:14
Start Weight 2 kg
End Weight 2 kg

Roast Area Index	84,342.9 °C	End Temperature	210.7 °C
Development time	86 s	Development time ratio	15.5 %
Charge Temperature	158.8 °C		





Details

Segments	Duration	RoR AVG	Roast Area Index (°C)
Start to Turning Point	00:34	-90.9	3,243.4
Turning Point to Color Change	04:16	7.7	30,917.5
Color Change to First Crack	02:58	6.9	32,340.4
Development time	01:27	3.8	18,052.3

Time	Event	Note
00:34	Turning Point	
04:50	Color change	
07:48	First Crack	

Time	Stack T... (°C)	RoR Stack T... (°C)	Bean Te... (°C)	RoR Bean Te... (°C)	Gas (%)	Return ... (°C)	RoR Return ... (°C)	Inlet T... (°C)	RoR Inlet T... (°C)
00:00	351.5		158.8		20.0	161.1		162.7	
00:30	455.0	103.5	66.6	-92.2	60.0	152.2	-8.9	180.1	17.4
01:00	624.8	169.5	76.2	7.9		175.3	24.5	200.8	21.9
01:30	690.8	69.5	94.3	18.0		186.0	11.0	211.8	11.1
02:00	713.0	24.0	109.3	15.3		193.4	7.6	219.7	8.2
02:30	710.6	-1.7	121.6	12.4		198.8	5.5	225.9	6.3
03:00	706.9	-4.0	132.4	10.8		203.1	4.2	230.7	4.7
03:30	708.4	1.3	141.4	9.1		206.9	3.9	234.8	4.2
04:00	711.3	2.9	149.4	8.1		210.9	4.0	239.0	4.2
04:30	716.3	5.0	156.8	7.3		214.7	3.8	243.3	4.2
05:00	723.9	6.7	163.6	6.9	70.0	219.2	4.4	247.6	4.3
05:30	738.6	15.3	170.5	7.0		223.8	4.8	251.4	3.9
06:00	750.1	10.7	177.4	6.9	80.0	228.7	4.8	255.6	4.2
06:30	764.4	15.1	184.4	6.8		233.4	4.7	259.7	4.0
07:00	773.9	9.1	191.0	6.6	90.0	238.3	4.9	263.8	4.1
07:30	784.7	11.4	198.2	7.2		242.9	4.8	267.8	4.1
08:00	783.0	0.9	205.2	7.1	40.0	246.1	3.3	271.2	3.5
08:30	725.1	-58.6	207.7	2.5		242.4	-3.6	274.1	2.8
09:00	702.6	-23.6	209.3	1.7	40.0	241.9	-0.6	276.6	2.6
09:14	697.9	-14.6	210.7	2.1	40.0	241.9	-0.2	278.1	2.8